



# **PWR-SWITCH**

**Operation Manual** 

Document 2.0, October 2025 www.olimex.com

# **Table of Contents**

| What is PWR-SWITCH        | 3 |
|---------------------------|---|
| PWR-SWITCH features       | 4 |
| How to use PWR-SWITCH?    |   |
| Certificates              |   |
| Document revision history |   |

# What is PWR-SWITCH

PWR-SWTICH is an optically isolated high-voltage switch, which can be controlled with small voltage controllers like Arduino, ESP32, Raspberry Pi and other similar devices or microcontrollers.





#### **PWR-SWITCH features**

#### PWR-SWITCH has these features:

- EU style input power plug
- EU style load receptacle
- Input voltage from 90 up to 230VAC
- Maximum load current 16A.
- Maximal load power is 3500W, resistive. Note that inductive loads like electrical motors cause sparkling when disconnected, which wear the contacts very fast!
- Mechanical number of open close operation 10 000 000 times
- Number of switch on/off under full electrical load 100 000 times
- Green LED status indicator
- Control line works with DC Voltage in range 3-5VDC
- Enclosure Material: Fire-retardant ABS V0
- Color: White
- Operating Temperature: 0°C-40°C(32°F-104°F)
- Humidity: 5%-90%RH, Non-condensing
- Dimensions: 88\*38\*23mm (L\*W\*H)

### **How to use PWR-SWITCH?**

PWR-SWITCH have control line, which has polarity:



If you want to drive PWR-SWITCH with Arduino you should connect the green termianl with "–" to GND and the terminal with "+" to Arduino D0 pin. Here is the code to switch it on and off:

```
void setup () {
  pinMode (D0, OUTPUT);
}

void loop () {
  digitalWrite (D0, HIGH);
  delay (1000);
  digitalWrite (D1, LOW);
  delay (10);
}
```

The control line will work with any voltage from 3V up to 5V DC.

# **Certificates**

PWR-SWITCH has CE certification and passed these standards tests:

#### CE-EMC:

- EN 55032:2015
- EN IEC 61000-3-2:2019
- EN 61000-3-3:2013 + A1:2019
- EN 55035:2017

#### CE-LVD:

• EN 62368-1:2014+A11:2017

All tests are made in accredited laboratory and kept on file at Olimex Ltd.



# CERTIFICATE

#### ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The Low Voltage Directive 2014/35/EU has been taken as references for these processes.

Certificate's Holder : OLIMEX LTD

Address : ul. Pravda 2, Plovdiv 4000, Bulgaria

Manufacturer : OLIMEX LTD

Address : ul. Pravda 2, Plovdiv 4000, Bulgaria

Product Name : PWR-SWITCH

Product Model (S) : PWR-SWITCH

Trade Mark : N/A

Related Directive : 2014/35/EU

Related Standards : EN 62368-1:2014+A11:2017

Certificate Number : HK2007200517S Report No. : HK2007200517-SR

Registration Date : Jul. 27, 2020



Certification Manager



The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of EC Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.





# CERTIFICATE

#### ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder : OLIMEX LTD

Address : ul. Pravda 2, Plovdiv 4000, Bulgaria

Manufacturer : OLIMEX LTD

Address : ul. Pravda 2, Plovdiv 4000, Bulgaria

Product Name : PWR-SWITCH

Product Model (S) : PWR-SWITCH

Trade Mark : N/A

Related Directive : 2014/30/EU

EN 55032:2015

Related Standards EN IEC 61000-3-2:2019

EN 61000-3-3:2013 + A1:2019

EN 55035:2017

Certificate Number : HK2007201828E

Report No. : HK2007201828-1ER

Registration Date : Jul. 27, 2020



Certification Manager



The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of EC Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.



# **Document revision history**

Revision 2.0 October 2025

- fixed control voltage range – it is between 3V DC and 5V DC.

Revision 1.0 July 2020